## Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

## Listing of Claims

- (Previously presented) A method for treating cancer comprising administering chlorotoxin or a chlorotoxin derivative as a first agent and at least one chemotherapeutic agent as a second agent, wherein the two agents are administered simultaneously or are administered independently in a fashion that the agents will act at the same time,
  - wherein the chlorotoxin derivative comprises a sequence selected from the group consisting of SEQ ID No. 1, SEQ ID No. 2, SEQ ID No. 3, SEQ ID No. 4, SEQ ID No. 5, SEQ ID No. 6, SEQ ID No. 7, SEQ ID No. 8, SEQ ID No. 13, portions thereof, and combinations thereof; and
  - wherein the cancer is a member of the group consisting of human glioblastoma multiforme, human malignant melanoma, human prostate tumor, and human small cell lung carcinoma.
- (Original) A method according to claim 1 wherein the chlorotoxin or chlorotoxin derivative is administered prior to administration of the chemotherapeutic agent.
- (Original) A method according to claim 1 wherein the chlorotoxin or chlorotoxin derivative is administered subsequent to administration of the chemotherapeutic agent.
- (Original) A method according to claim 1 wherein chlorotoxin or chlorotoxin derivative is administered simultaneously with the chemotherapeutic agent.
- 5. (Original) A method according to claim 1, wherein the chemotherapeutic agent is selected from the group consisting of alkylating agents, purine antagonists, pyrimidine antagonists, plant alkaloids, intercalating antibiotics, aromatase inhibitors, antimetabolites, mitotic inhibitors, growth factor inhibitors, cell cycle inhibitors, enzymes, topoisomerase inhibitors, biological response modifiers, anti-hormones and antiandrogens.

- 6. (Currently amended) A method according to claim 1, wherein the chemotherapeutic agent is selected from the group consisting of BCNU, cisplatin, gemcitabine, hydroxyurea, paclitaxel, temozomide, temozolomide, topotecan, fluorouracil, vincristine, vinblastine, procarbazine, dacarbazine, altretamine, cisplatin, methotrexate, mercaptopurine, thioguanine, fludarabine phosphate, cladribine, pentostatin, fluorouracil, cytarabine, azacitidine, vinblastine, vincristine, etoposide, teniposide, irinotecan, docetaxel, doxorubicin, daunorubicin, dactinomycin, idarubicin, plicamycin, mitomycin, bleomycin, tamoxifen, flutamide, leuprolide, goserelin, aminoglutethimide, anastrozole, amsacrine, asparaginase, mitoxantrone, mitotane and amifostine.
- (Canceled) A method according to claim 1, wherein the cancer is a neuroectodermal cancer.
- 8. (Canceled) A method according to claim 1, wherein the cancer is selected from the group consisting of lung cancer, bone cancer, liver cancer, pancreatic cancer, skin cancer, cancer of the head or neck, cutaneous or intraocular melanoma, uterine cancer, ovarian cancer, rectal cancer, cancer of the anal region, stomach cancer, colon cancer, breast cancer, uterine cancer, carcinoma of the fallopian tubes, carcinoma of the endometrium, carcinoma of the cervix, carcinoma of the vagina, carcinoma of the vulva, Hodgkin's Disease, cancer of the esophagus, cancer of the small intestine, cancer of the endocrine system, cancer of the thyroid gland, cancer of the parathyroid gland, cancer of the adrenal gland, sarcoma of soft tissue, cancer of the urethra, cancer of the penis, prostate cancer, chronic or acute leukemia, lymphocytic lymphomas, cancer of the bladder, cancer of the kidney or ureter, renal cell carcinoma, carcinoma of the renal pelvis, neoplasms of the central nervous system (CNS), neuroectodermal cancer, spinal axis tumors, glioma, meningioma and pituitary adenoma.
- (Previously presented) A composition for treating cancer comprising chlorotoxin or a chlorotoxin derivative and at least one chemotherapeutic agent,
  - wherein the chlorotoxin derivative comprises a sequence selected from the group consisting of SEQ ID No. 1, SEQ ID No. 2, SEQ ID No. 3, SEQ ID No. 4, SEQ ID

- No. 5, SEQ ID No. 6, SEQ ID No. 7, SEQ ID No. 8, SEQ ID No. 13, portions thereof, and combinations thereof.
- 10. (Original) A composition according to claim 9, wherein the chemotherapeutic agent is selected from the group consisting of alkylating agents, purine antagonists, pyrimidine antagonists, plant alkaloids, intercalating antibiotics, aromatase inhibitors, antimetabolites, mitotic inhibitors, growth factor inhibitors, cell cycle inhibitors, enzymes, topoisomerase inhibitors, biological response modifiers, anti-hormones and antiandrogens.
- 11. (Currently amended) A composition according to claim 9, wherein the chemotherapeutic agent is selected from the group consisting of BCNU, cisplatin, gemcitabine, hydroxyurea, paclitaxel, temozomide, temozolomide, topotecan, fluorouracil, vincristine, vinblastine, procarbazine, dacarbazine, altretamine, cisplatin, methotrexate, mercaptopurine, thioguanine, fludarabine phosphate, cladribine, pentostatin, fluorouracil, cytarabine, azacitidine, vinblastine, vincristine, etoposide, teniposide, irinotecan, docetaxel, doxorubicin, daunorubicin, dactinomycin, idarubicin, plicamycin, mitomycin, bleomycin, tamoxifen, flutamide, leuprolide, goserelin, aminoglutethimide, anastrozole, amsacrine, asparaginase, mitoxantrone, mitotane and amifostine.
- (Previously presented) A composition according to claim 9, wherein the cancer is a
  member of the group consisting of human glioblastoma multiforme, human malignant
  melanoma, human prostate tumor, and human small cell lung carcinoma.
- 13. (Canceled) A composition according to claim 9, wherein the cancer is selected from the group consisting of lung cancer, bone cancer, liver cancer, pancreatic cancer, skin cancer, cancer of the head or neck, cutaneous or intraocular melanoma, uterine cancer, ovarian cancer, rectal cancer, cancer of the anal region, stomach cancer, colon cancer, breast cancer, uterine cancer, carcinoma of the fallopian tubes, carcinoma of the endometrium, carcinoma of the cervix, carcinoma of the vagina, carcinoma of the vulva, Hodgkin's Disease, cancer of the esophagus, cancer of the small intestine, cancer of the endocrine system, cancer of the thyroid gland, cancer of the parathyroid gland, cancer of the

adrenal gland, sarcoma of soft tissue, cancer of the urethra, cancer of the penis, prostate cancer, chronic or acute leukemia, lymphocytic lymphomas, cancer of the bladder, cancer of the kidney or ureter, renal cell carcinoma, carcinoma of the renal pelvis, neoplasms of the central nervous system (CNS), neuroectodermal cancer, spinal axis tumors, glioma, meningioma and pituitary adenoma.

- (Previously presented) A method for detecting the presence of cancer in a patient comprising: administering a detectable amount of labeled chlorotoxin derivative,
  - wherein the chlorotoxin derivative comprises a sequence selected from the group consisting of SEQ ID No. 1, SEQ ID No. 2, SEQ ID No. 3, SEQ ID No. 4, SEQ ID No. 5, SEQ ID No. 6, SEQ ID No. 7, SEQ ID No. 8, SEQ ID No. 13, portions thereof, and combinations thereof.
- 15. (Previously presented) The method according to claim 14, wherein the cancer is a member of the group consisting of human glioblastoma multiforme, human malignant melanoma, human prostate tumor, and human small cell lung carcinoma
- 16. (Original) The method according to claim 14, wherein the label is a radiolabel.
- (Original) The method according to claim 16, wherein the radiolabel is selected from the group consisting of <sup>3</sup>H, <sup>14</sup>C, <sup>18</sup>BF, <sup>19</sup>F, <sup>31</sup>P, <sup>32</sup>P, <sup>35</sup>S, <sup>131</sup>I, <sup>125</sup>I, <sup>123</sup>I, <sup>65</sup>Cu, <sup>187</sup>Re, <sup>111</sup>In, <sup>90</sup>Y, <sup>99m</sup>Tc and <sup>177</sup>Lu.